




# ELECTROSTATIC DISCHARGE SOLUTIONS



**SPECIALIZED IN INDUSTRIAL  
MANAGEMENT AND STORAGE**





# SUMMARY

P01	ESD COMPONENT BOX ESD COMPONENT BOX-HANGING STYLE
P02	ESD PLASTIC BOX
P03	ESD PLASTIC TRAY
P06	ESD CONTAINER BOX
P07	ESD EU CONTAINER BOX
P08	ESD MAGAZINE RACK
P10	ESD STM TROLLEY
P11	IONIZING AIR BLOWER
P12	ESD BRUSH
P13	ESD TWEEZERS <ul style="list-style-type: none"><li>• ESD REPLACEABLE TIP TWEEZERS</li><li>• ESD STAINLESS TWEEZERS</li><li>• STAINLESS STEEL TWEEZERS</li><li>• WAFER TWEEZERS</li></ul>
P15	ESD INSTRUMENT <ul style="list-style-type: none"><li>• SL-030 Surface Resistance Meter</li><li>• SL-030B Surface Resistance Meter</li><li>• HAKKO 438 Wrist Strap Tester</li><li>• SURPA 518-1 Wrist Strap online Monitor</li><li>• SURPA 518-2 Wrist Strap online Monitor</li></ul>
P17	ESD WRIST STAP <ul style="list-style-type: none"><li>• PU antistatic bracelet</li><li>• Metal antistatic bracelet</li><li>• Antistatic bracelet with double head</li><li>• Antistatic silicone wrist strap</li><li>• Ground headset button wire</li><li>• Single headset grounding wire</li><li>• Headset ground wire</li><li>• Node grounding wire</li><li>• Anti-static foot strap</li><li>• Dual loop Antistatic Wrist strap</li><li>• Dual loop Antistatic strap</li></ul>
P18	ESD CLOTH <ul style="list-style-type: none"><li>• Antistatic Conjoined Cloth</li><li>• Antistatic Jacket</li><li>• PU cleaningroom boots</li></ul>

	ESD TAPE
	<ul style="list-style-type: none"> <li>• ESD Grid Tape</li> <li>• Kapton Tape/High Temperature Tape</li> <li>• Double sided conductive copper Tape</li> </ul>
P.19	ESD PACKAGE
	<ul style="list-style-type: none"> <li>• ESD Shielding Package (without zip lock)</li> <li>• ESD Shielding Package (with zip lock)</li> <li>    Alluminium Foil Package (without zip lock) Size</li> <li>    Alluminium Foil Package (with zip lock) Size</li> <li>    ESD Bubble Bag Size</li> <li>    Alluminium Foil Package (with zip lock)</li> </ul>
P.21	PLEXIGLASS ESD
	ESD CHAIRS AND STOOLS
P.23	ESD GLOVE
	<ul style="list-style-type: none"> <li>• Finger coated carbon fiber ESD glove</li> <li>• Palm coated carbon fiber ESD glove</li> <li>• ESD carbon fiber</li> <li>• ESD Carbon fiber glove</li> <li>• ESD PU glove</li> <li>• ESD stripe glove</li> <li>• ESD dotted glove</li> </ul>
P.24	SILICONE STICK ROLLER
	<ul style="list-style-type: none"> <li>• Aluminium silicone roller</li> <li>• Plastic silicone roller</li> <li>• Cleanroom Sticky Mat</li> </ul>
P.25	ESD TABLE MAT
	<ul style="list-style-type: none"> <li>• ESD Rubber Mat</li> <li>• ESD textured Rubber mat</li> <li>• Black fatigue mat</li> <li>• Antistatic fatigue mat</li> </ul>
P.26	ESD STATIONERY TOOLS
	<ul style="list-style-type: none"> <li>• ESD Ball Pen</li> <li>• ESD Document Bag</li> <li>• Antistatic Ring Binder</li> <li>• Antistatic Document holder Tray</li> <li>• Antistatic Document Basket</li> <li>• Antistatic Scissors</li> <li>• Antistatic Knife</li> <li>• ESD Mouse</li> <li>• Antistatic Keyboard</li> <li>• Antistatic Tablet folder with clamp</li> </ul>

# ESD COMPONENT BOX

Part Number	Contour Size (mm)	Interior Size (mm)
K-B001	95*105*50	80*90*40
K-B002	165*95*70	145*85*60
K-B003	175*105*80	155*90*70
K-B004	200*130*90	175*110*80
K-B005	235*155*120	215*140*110



# ESD COMPONENT BOX-HANGING STYLE

PART NUMBER	CONTOUR SIZE (MM)	INTERIOR SIZE (MM)
K-B006	104*104*49	88*87*40
K-B007	140*122*68	125*109*65
K-B008	180*121*79	150*100*76
K-B009	253*155*125	210*132*115
K-B0010	352*201*143	303*175*135
K-B0011	450*300*170	400*260*165
K-B0012	515*345*185	460*310*178
K-B0013	390*245*160	345*215*152



# ESD PLASTIC BOX

Exterior Size(L\*W\*H)mm : 210\*123\*50mm  
 Interior Size(L\*W\*H)mm : 193\*114\*41mm  
 Box with cover

**K-B0014**



Contour Size(L\*W\*H)mm : 138\*92\*48mm  
 Interior Size(L\*W\*H)mm : 128\*88\*40mm  
 With 2pcs Partitions

**K-B0015**



Contour Size(L\*W\*H)mm : 165\*120\*60mm  
 Interior Size(L\*W\*H)mm : 145\*100\*45mm  
 With 3pcs Partitions

**K-B0016**



Contour Size(L\*W\*H)mm : 253\*140\*70mm  
 Interior Size(L\*W\*H)mm : 233\*127\*58mm  
 With 2pcs Partitions

**K-B0017**



Exterior Size(L\*W\*H)mm : 160\*95\*40mm  
 Interior Size(L\*W\*H)mm : 140\*80\*33mm  
 Color: Blue

**K-B0018**



Exterior Size(L\*W\*H)mm : 180\*110\*55mm  
 Interior Size(L\*W\*H)mm : 162\*100\*46mm  
 Color: Blue

**K-B0019**



## ANTISTATIC RECTANGULAR TRASHCAN/DUSTBIN

Size(L\*W\*H)mm : 285\*210\*320mm  
 Capacity : 15L / 20L / 30L

**K-B0021**



# ESD PLASTIC TRAY


Part Number	Contour Size (mm)	Interior Size (mm)
K-C301	220*175*26	185*140*23
K-C302	226*160*29	213*153*25
K-C303	280*190*26	272*182*24
K-C304	285*224*30	240*182*28
K-C305	320*235*43	310*225*35
K-C306	345*260*35	302*212*34
K-C307	360*360*85	350*350*75
K-C308	375*250*65	345*225*60
K-C309	375*275*40	360*260*35
K-C310	375*310*20	355*295*15
K-C311	375*310*30	355*295*22
K-C312	440*290*50	400*265*45
K-C313	440*295*80	410*265*75
K-C314	450*300*45	430*280*38
K-C315	450*300*60	430*280*50
K-C316	480*328*42	445*292*35
K-C317	530*365*43	510*350*33
K-C318	560*375*75	525*340*70
K-C319	615*420*95	570*370*90
K-C320	654*454*29	620*413*26
K-C720	720*510*48	710*500*45



Exterior Size(L\*W\*H)mm : 316\*203\*14mm  
 Interior Size : 36\*17mm for Each Grid  
 Total : 80 Grids

Contour Size(L\*W\*H)mm : 270\*250\*130mm  
 Width : 3mm  
 Pitch : 7mm  
 Slot : 30pcs

**K-C321**



**K-C322**



Outer Size(L\*W\*H)mm : 460\*313\*40mm  
 Inner Size(L\*W\*H)mm : 420\*293\*29mm  
 ESD Tray with 70 Grids

Contour Size(L\*W\*H)mm : 436\*160\*32mm  
 Card slot : 25pcs

**K-C323**



**K-C324**



Outer Size(L\*W\*H)mm : 460\*260\*20mm  
 Inner Size : 50\*45mm  
 With 50 sections/grids

Contour Size(L\*W\*H)mm : 480\*140\*35mm  
 Capacity : 50pcs

**K-C325**



**K-C326**



Outer Size : 360\*360\*85mm  
 Inner Size : 350\*350\*75mm

Antistatic Tray with slot  
 Outer Size : 226\*166\*37mm  
 Inner Size : 215\*155\*25mm  
 Can insert 24pcs boards width : 160mm

**K-C327**



**K-C328**



Outer Size : 300\*200\*20mm  
 Inner Size : 285\*185\*15mm  
 Slot width : 4mm

**K-C329**



# ESD CONTAINER BOX

Part Number	Contour Size (mm)	Interior Size (mm)
K-D01	155*105*55	8*87*40
K-D02	205*135*65	125*109*65
K-D03	265*175*75	150*100*76
K-D04	300*205*90	210*132*115
K-D05	360*270*135	303*175*135
K-D06	380*240*105	400*260*165
K-D07	420*310*155	460*310*178
K-D08	476*352*320	345*215*152
K-D09	480*355*220	150*100*76
K-D010	500*360*175	210*132*115
K-D011	510*345*185	303*175*135
K-D012	530*370*205	400*260*165
K-D013	560*430*145	460*310*178
K-D014	565*420*240	345*215*152
K-D015	565*420*300	400*260*165
K-D016	565*420*380	460*310*178
K-D017	580*368*165	345*215*152
K-D018	580*368*200	535*345*195
K-D019	585*405*175	538*360*170
K-D020	600*500*150	560*455*140
K-D021	600*500*160	560*460*155
K-D022	600*500*300	560*455*290
K-D023	600*500*360	560*460*355
K-D024	610*415*245	580*380*240
K-D025	610*500*400	560*455*395
K-D026	615*425*155	580*385*145
K-D027	615*430*120	555*373*118
K-D028	620*425*320	580*395*310
K-D029	620*430*200	580*395*195
K-D030	620*430*250	580*395*245
K-D031	660*400*160	620*360*150
K-D032	720*450*180	680*420*170
K-D033	720*560*380	675*515*370
K-D034	400*300*230	365*265*220





Part Number	Size (mm)
D020/D021/D022/D023/D025/Box Cover(lid)	610*505*15
D014/D015/D016 Box Cover(lid)	566*427*15
D08/D010 Box Cover(lid)	484*357*14
D028/D029/D030 Box Cover(lid)	630*437*16
D017/D018 Box Cover(lid)	590*375*15
D07 Box Cover(lid)	413*310*10



## ESD CONTAINER BOX

Contour Size(L\*W\*H)mm : 650\*440\*270mm  
 Inner Size(L\*W\*H)mm : 620\*410\*260mm  
 Type : the box with slot

Size : 410\*190mm  
 Slot depth : 4mm  
 Slot spacing : 10mm  
 Type : two-sided Slot partition



### TRANSVERSE PARTITION

Size : 610\*190mm  
 Slot depth : 4mm  
 Slot spacing : 10mm  
 Type : two-sided Slot

K-D035

### LONGITUDINAL PARTITION

# ESD EU CONTAINER BOX

Part Number	Contour Size (mm)	Interior Size (mm)
K-EU01	300*200*120	260*160*110
K-EU02	400*300*120	360*260*110
K-EU03	400*300*170	360*260*163
K-EU04	400*300*230	360*260*218
K-EU05	600*400*120	555*355*110
K-EU06	600*400*170	555*355*162
K-EU07	600*400*230	555*355*217
K-EU08	600*400*290	555*355*278
K-B0019	600*400*340	550*355*327



Part Number	Size (mm)
K-EU02/K-EU03/K-EU04 Box Cover	405*306*26
K-EU05/K-EU06/K-EU07/K-EU08/K-EU09 Box Cover	605*406*30



# ESD MAGAZINE RACK

- Overall size : 355\*320\*563
- Storage capacity : 50 pieces PCB
- The PCB Specifications : 330\*(50-250)mm
- Guide slot size : Depth 3.5mm,width 5mm,pitch 10mm
- Top and bottom boards materiel : Metal
- Double Side bords material : Plastic
- Heat resistant : 85 degree
- Surface resistance : 10E6-10E9Ω

## K-F01



- Overall size : 355\*320\*563
- Storage capacity : 50 pieces PCB
- The PCB Specifications : 330\*(50-250)mm
- Guide slot size : Depth 3.5mm,width 5mm,pitch 10mm
- Top and bottom boards materiel : Plastic
- Double Side bords material : Plastic
- Heat resistant : 85 degree
- Surface resistance : 10E6-10E9Ω

## K-F02



- Overall size : 460\*400\*563
- Storage capacity : 50 pieces PCB
- The PCB Specifications : 460\*(50-330)mm
- Guide slot size : Depth 3.5mm, width 5mm, pitch 10mm
- Top and bottom boards materiel : Metal
- Double Side bords material : Plastic
- Heat resistant : 120 degree
- Surface resistance : 10E6-10E9Ω

## K-F03



- Overall size : 535\*460\*570
- Storage capacity : 50 pieces PCB
- The PCB Specifications : 460\*(50-390)mm
- Guide slot size : Depth 3.5mm, width 5mm, pitch 10mm
- Top and bottom boards materiel : Metal
- Double Side bords material : Plastic
- Heat resistant : 120 degree
- Surface resistance : 10E6-10E9Ω

## K-F04



- Overall size : 535\*460\*570
- Storage capacity : 50 pieces PCB
- The PCB Specifications : 460\*(50-390)mm
- Guide slot size : Depth 3.5mm, width 5mm, pitch 10mm
- Top and bottom boards material : Metal
- Double Side boards material : Plastic
- Heat resistant : 120 degree
- Surface resistance : 10E6-10E9Ω

**K-F05**

- Overall size : 355\*320\*563
- Storage capacity : 50 pieces PCB
- The PCB Specifications : 330\*(50-250)mm
- Guide slot size : Depth 3mm,width 8mm,pitch 10mm
- Product material : Alluminum Alloy
- Heat resistant : 120 degree
- Surface resistance : 10E3-10E9Ω

**K-F06**

- Overall size : 460\*400\*563
- Storage capacity : 50 pieces PCB
- The PCB Specifications : 460\*(50-330)mm
- Guide slot size : Depth 3mm,width 8mm,pitch 10mm
- Product material : Alluminum Alloy
- Heat resistant : 120 degree
- Surface resistance : 10E3-10E9Ω

**K-F07**

# ESD SMT TROLLEY

ANY SIZE AND MODEL CAN BE CUSTOMIZED

- External dimensions : L1200\*W460\*H1500mm
- Specifications of storage reel : 180-380mm
- Placed layers : 5 layers (two layers double peak, two layers flat net, one layer single peak)
- The reels can be stored : Large 22pcs (for single peak), small reels 112pcs (for double peaks)
- Surface resistance : 10E3-10E9Ω
- Main material : Q23 carbon steel
- Caster Size : 3 inches
- Configuration for the layers: 3 layers put small material. 1 layer put large material



**K-G01**

- Material : Carbon steel
- Shelves : 3 layers (double peaks)
- Size : 907\*457\*1040mm
- Wheels : 3 inch PVC wheels
- (With brake 2pcs, Without brake 2pcs)



**K-G03**

## HANGING ESD BASKET FOR PCB, PCB BASKET CARTS

- Material : Antistatic PP Plastic + Stainless Steel
- Antistatic Trolley Size : 900\*600\*1300mm
- Antistatic Basket Size : 410\*280\*165mm
- Surface Resistance : 10E6-10E9Ω
- Capacity : The cart can put 16pcs basket



**K-G07**

# IONIZING AIR BLOWER



SL-001



SL-002



SL-003



SL-004




SL-010



SL-028


# ESD BRUSH

Overall length : 170mm  
 Hair length : 18mm  
 Size : L




**K-H01L**

Overall length : 180mm  
 Hair length : 16mm  
 Size : M




**K-H01M**

Overall length : 170mm  
 Hair length : 16mm  
 Size : S




**K-H01S**

Overall length : 225mm  
 Hair length : 22mm  
 Size : XL




**K-H01XL**

Overall length : 220mm  
 Hair length : 22mm




**K-H002**

Overall length : 170mm  
 Head length : 35mm  
 Materials : Copper




**K-H003**

Overall length : 140mm  
 Hair length : 18mm




**K-H004**

Overall length : 150mm  
 Hair length : 18mm  
 Size : L




**K-H05L**

Overall length : 125mm  
 Hair length : 18mm  
 Size : S




**K-H05S**

Overall length : 140mm  
 Hair length : 18mm



**K-H006**

Overall length : 164mm  
 Hair length : 21mm  
 Size : L




**K-H07L**

Overall length : 100mm  
 Hair length : 20mm  
 Size : M



**K-H07M**

Overall length : 70mm  
 Hair length : 21mm  
 Size : S



**K-H07S**

Overall length : 140mm  
 Hair length : 25mm  
 Hair bundle : 12  
 Size : L



**K-H08L**

Overall length : 140mm  
 Hair length : 25mm  
 Hair bundle : 9  
 Size : M




**K-H08M**

Overall length : 140mm  
 Hair length : 25mm  
 Hair bundle : 7  
 Size : S



**K-H08S**

Overall length : 382mm  
 Hair length : 48mm  
 Size : L




**K-H09L**

Overall length : 253mm  
 Hair length : 33mm  
 Size : S




**K-H09S**

Overall length : 155mm  
 Hair length : 30mm  
 Hair bundle : 3




**K-H010**

Overall length : 170mm  
 Hair length : 40mm  
 Hair bundle : 6



**K-H011**

Overall length : 170mm  
 Hair length : 54mm  
 Hair bundle : 8



**K-H012**

# ESD TWEEZERS

## ESD REPLACEABLE TIP TWEEZERS



ESD-2A



ESD-2AX



ESD-7A




ESD-7AX



ESD-242



ESD-249



ESD-250



ESD-259



ESD-259A



ESD-259AX



ESD-25900



ESD-259X

## ESD STAINLESS TWEEZERS



ESD-10




ESD-11



ESD-12




ESD-13




ESD-14



ESD-15



ESD-16



ESD-17

## STAINLESS STEEL TWEEZERS



00-SA



1-SA




2A-SA



2-SA





3C-SA



3-SA



4-SA



5A-SA




5B-SA



5-SA




6A-SA




7-SA



27-SA



33A-SA




34A-SA



35A-SA



36A-SA



90-SA



SS-SA

WAFER TWEEZERS



15-FW



91-3L



91-3T



91-4L



91-4T



91-5L



91-5T



91-6L



91-6T

**SL-030 Surface Resistance Meter**

- ED lamp demonstration resistance value
- Operating temperature : 0°C-50°C
- Relative humidity : 0%-90% RH
- Test voltage : 9 Volts
- Size : 137(L)X76(W)X30(D)mm
- Weight : 120g
- Accuracy : ±5%
- Effective measurement range : 103-1012 Ω



**HAKKO 438 Wrist Strap Tester**

- Model No.498
- Power Supply 9V Dry Battery
- LED Indication Calibration Resistance Buzzer
- LOW (Red) R<800K ohm OFF
- GOOD (Green) 800K ohm - 9M ohm ON
- HIGH (Red) R>9M ohm OFF
- Operating Environment R>0 to 40°C(32 to 104°F), 20 to 90%RH



**SURPA 518-1 Wrist Strap online Monitor**

- Input:6V DC
- Dimensions:67x60x29mm
- Color:silver
- Weight:60g (excluding the adaptor)
- Instant warning of wrist strap failure increase production efficiency
- High reliable,easy and convenient to use



**SL-030B Surface Resistance Meter**

- Technical Parameter
- Working voltage : DC9V
- Battery life : 40hours (continuous working)
- Display precision : 1/2 ± 1%
- Size : 170(H)X100(L)X40(W)mm
- Measurement range : 103 Ω -1012 Ω
- Instrument weight : 350g
- Heavy hammer weight : 2.5 ± 0.2Kg/per
- Measure temperature : 0°C-100°C
- Measure humidity : 0-100% RH



**SURPA 518-2 Wrist Strap online Monitor**

- Model : SUPRA 518-2
- Input : 6V DC
- Material : Polystyrene
- Dimension : 110\*60\*29 mm
- (not including power supply adaptor)
- Instant warning of wrist strap failure increase production efficiency
- Highly reliable, easy and convenient to use



### PRS-801 Resistance System Set

- Accurate Wide Range Resistance Measurements: 0.1  $\Omega$  to 2.0x10<sup>14</sup>  $\Omega$  with overall nominal accuracy <math>\pm 5\%</math>; Maximum range 2.0x10<sup>14</sup>  $\Omega$
- Variable Voltage 0.1 mv to 9.99 V for low resistance measurements
- Constant Test voltages 10V and 100V for specification measurements to meet international and domestic ESD measurement standards
- Auto Resistance Range Control
- Auto Test Voltage Control
- Automatic Electrification Period adjustment to obtain most accurate measurements
- 80 Data Point Memory
- Download to Excel® in batches or individual measurements
- Fast and Flexible



### PFK-100 Electrostatic Field Meter Set

- Measure range & polarity of electrostatic fields in 1 volt or 10 volts increments
- Charges from zero to over 1000 volts in less than 10 seconds
- Balance Ionizers per ANSI/ESD SP3.3 Periodic Verification
- Measure Ionizer Decay time as per ANSI/ESD S3.1 and ANSI/ESD SP3.3.
- Measure Body Voltage Generation and Decay
- Use with a datalogger to record measurements & create reports
- Compatible with the Autoanalysis System
- Accuracy of  $\pm 2\%$
- Battery Operated



### PDT-740B Static Decay Timer

- Designed to measure the time required for a 1,000 volt charge to dissipate to less than 100, 50 or 10 volts in tenths of a second.
- Used to evaluate the static decay capabilities of materials, personnel, equipment and other products.
- Compatible with most portable CPM's and field meters having an analog output of  $\pm 2$  (10,000 volts equals 1 volt).
- Used in conjunction with the PFM-711A Field Meter.
- Can be used with the PGB-745 Decay Electrodes or PRF-911 Concentric Ring



### PFK-100H Instrument Holder

- Holds 3 instruments
- Lightweight
- Designed to hold the PFM-711A, the CPM-720A, the PDT-740B/PGA-710B
- Aluminum



# ESD WRIST STRAP

<p><b>K-M1</b></p> 	<p><b>K-M2</b></p> 	<p><b>K-M3</b></p> 	<p><b>K-M4</b></p> 
<p>PU ANTISTATIC BRACELET</p>	<p>METAL ANTISTATIC BRACELET</p>	<p>METAL ANTISTATIC BRACELET</p>	<p>METAL ANTISTATIC BRACELET</p>
<p><b>K-M5</b></p> 	<p><b>K-M6</b></p> 	<p><b>K-M7</b></p> 	<p><b>K-M8</b></p> 
<p>METAL ANTISTATIC BRACELET</p>	<p>PU ANTISTATIC BRACELET</p>	<p>ANTISTATIC BRACELET WITH DOUBLE HEAD</p>	<p>ANTISTATIC SILICONE WRIST STRAP</p>
<p><b>K-M9</b></p> 	<p><b>K-M10</b></p> 	<p><b>K-M11</b></p> 	<p><b>K-M12</b></p> 
<p>ANTISTATIC SILICONE WRIST STRAP</p>	<p>ANTISTATIC SILICONE WRIST STRAP</p>	<p>ANTISTATIC SILICONE WRIST STRAP</p>	<p>ANTISTATIC SILICONE WRIST STRAP</p>
<p><b>K-M13</b></p> 	<p><b>K-M14</b></p> 	<p><b>K-M15</b></p> 	<p><b>K-M16</b></p> 
<p>GROUND HEADSET BUTTON WIRE</p>	<p>GROUND HEADSET BUTTON WIRE</p>	<p>SINGLE HEADSET GROUNDING WIRE</p>	<p>HEADSET GROUND WIRE</p>
<p><b>K-M17</b></p> 	<p><b>K-M18</b></p> 	<p><b>K-M19</b></p> 	<p><b>K-M20</b></p> 
<p>HEADSET GROUND WIRE</p>	<p>NODE GROUNDING WIRE</p>	<p>ANTI-STATIC FOOT STRAP</p>	<p>DUAL LOOP ANTISTATIC WRIST STRAP</p>
<p><b>K-M21</b></p> 	<p><b>K-M22</b></p> 		
<p>DUAL LOOP ANTISTATIC STRAP</p>	<p>DUAL LOOP ANTISTATIC STRAP</p>		

# ESD CLOTH

ANY SIZE CAN BE CUSTOMIZED

ANTISTATIC CONJOINED CLOTH

ANTISTATIC JACKET

PU CLEANINGROOM BOOTS

**K-N01**



Size : S.M.L.XL.XXL.XXXL  
 Color : -White  
 -Pink  
 -Yellow  
 -Blue  
 Material : Polyester

**K-N02**



Size : Size:S.M.L.XL.XXL.XXXL  
 Color : -White  
 -Pink  
 -Yellow  
 -Blue  
 Material : Polyester

**K-N04**



**K-N05**



# ESD TAPE ANY SIZE CAN BE CUSTOMIZED

ESD GRID TAPE

Color : yellow  
 Thickness : 0.06mm  
 Length : 36meters per roll  
 Width : 10mm;12mm;15mm;18mm;20mm;24mm;  
 25mm;30mm;36mm;40mm;45mm;48mm;  
 50mm;55mm;60mm;72mm;80mm;100mm



ESD GRID TAPE

Color : yellow/black  
 Thickness : 0.06mm  
 Length : 36meters per roll  
 Width : 10mm;12mm;15mm;18mm;20mm  
 24mm;25mm;30mm36mm;40mm;  
 45mm;48mm;50mm;55mm;60mm;  
 72mm;80mm;100mm



**K-U01**

**K-U02**

KAPTAN TAPE/HIGH TEMPERATURE TAPE

Thickness : 0.05mm  
 Length : 33meters per roll  
 Width : 5mm;8mm;10mm;12mm;15mm;18mm;  
 20mm;24mm;25mm;30mm;36mm;40mm;  
 45mm;48mm;50mm;55mm;60mm;80mm;  
 100mm



DOUBLE SIDED CONDUCTIVE COPPER TAPE

Thickness : 0.06mm  
 Length : 20meters per roll/50meters per roll  
 Width : 5mm;10mm;15mm;20mm;25mm;30mm;  
 40mm;50mm;60mm;80mm;100mm



**K-U03**

**K-U04**

# ESD PACKAGE

## ANY SIZE CAN BE CUSTOMIZED

### ESD Shielding Package(without zip lock)

#### Size Table (mm)

50*80	50*100	60*80	60*100	65*120	65*180	70*110	75*220
80*120	80*150	90*130	90*150	90*180	90*310	100*120	100*150
100*200	100*220	100*330	100*660	110*150	110*180	110*220	120*160
120*180	120*330	130*170	140*180	140*190	140*200	150*200	150*180
150*660	155*230	160*230	155*250	160*180	160*200	160*260	160*320
160*400	170*200	180*260	190*270	200*300	200*660	210*240	230*340
250*300	250*350	255*400	260*350	270*400	300*400	315*340	370*470
390*430	400*500	450*500	500*530	500*650	Any size can be customized		



K-P1

### ESD Shielding Package(with zip lock)

#### Size Table (mm)

60*90	65*120	75*100	80*90	80*120	90*130	100*130	100*150
130*180	140*150	140*230	150*200	175*230	210*240	280*280	280*380
230*320	300*450	400*540	420*480	Any size can be customized			



K-P2

ALUMINIUM FOIL PACKAGE (WITHOUT ZIP LOCK)

Size Table (mm)

100*345	220*240
220*250	250*380
270*240	350*580
400*450	420*570
450*660	590*650



K-P3

ALUMINIUM FOIL PACKAGE ( ZIP LOCK)

Size Table (mm)

90*130	130*180	140*190
150*220	170*240	180*260
180*310	215*245	210*310
220*240	230*250	260*350
300*400		



K-P4

ESD BUBBLE BAG

Size Table (mm)

60*210	140*210
150*210	160*210
200*250	210*300



K-P5

ALUMINIUM FILM BAG

Size Table (mm)

120*160	140*160	150*180
160*200	180*230	200*250
220*250	230*300	250*300
290*360	320*380	350*450
390*300	400*450	



K-P6

ESD BUBBLE BAG

Size Table (mm)

80*120	9*170	100*150
110*180	150*190	150*200
160*230	160*240	180*260
200*300	250*350	265*400
270*230	300*400	



K-P7

ESD PE PACKAGE (ZIP LOCK)

Size Table (mm)

200*300	150*270	150*200
200*420	100*200	



K-P8

# PLEXIGLASS ESD

ANY SIZE CAN BE CUSTOMIZED

Part Number	Contour Size (mm)	Thickness (mm)
K-PLESD	1220*2440	1,5-50

Clear antistatic acrylic sheet esd acrylic sheet for cleanroom UV curable coatings for various pc sheet to get excellent anti-static properties on the surface with :

- High visual light transmittance
- Good surface hardness
- Chemical resistance



# ESD CHAIRS AND STOOLS

ESD Chairs are Electrostatic Dissipative, called Static Control Chairs, made :

- to divert static charge to earth
- to reduce static charge generated by sitting and to discharge it safely through the floor grounds.

ESD chairs are necessary for working with electronic components. Provided implementing a total concept, ESD Chair, conductive floor mat and a controlled connection to the earth are an ideal solution for administrative office spaces that suffer from static electricity.

CAN BE ADDED

Armrest

Footrest

Fixed foot or wheel

With standard and high gas lift



K-CH01



K-CH02



K-CH03





K-CH04



K-CH05



K-CH06



K-CH07



K-CH08



K-CH09



K-CH10



K-CH11



K-CH12



K-CH13



K-CH14



K-CH15

# ESD GLOVE

Finger coated carbon fiber ESD glove

Color : Grey  
Size : L



**K-Q1L**

Finger coated carbon fiber ESD glove

Color : Green  
Size : M



**K-Q1M**

Finger coated carbon fiber ESD glove

Color : White  
Size : S



**K-Q1S**

Palm coated carbon fiber ESD glove

Color : Grey  
Size : L



**K-Q2L**

Palm coated carbon fiber ESD glove

Color : White  
Size : M



**K-Q2M**

Palm coated carbon fiber ESD glove

Color : White  
Size : S



**K-Q2S**

ESD carbon fiber

Color : Grey  
Size : L  
Type : No coated Grey



**K-Q3L**

ESD carbon fiber

Color : Green  
Size : M  
Type : No coated



**K-Q3M**

ESD carbon fiber

Color : White  
Size : S  
Type : No coated



**K-Q3S**

ESD Carbon fiber glove

Color : Grey  
Size : L  
Type : Finger coated



**K-Q4L**

ESD Carbon fiber glove

Color : Green  
Size : M  
Type : Finger coated



**K-Q4M**

ESD Carbon fiber glove

Color : Pink  
Size : S  
Type : Finger coated



**K-Q4S**

ESD PU glove

Color : Grey  
Size : L  
Type : Palm coated



**K-Q5L**

ESD PU glove

Color : Green  
Size : M  
Type : Palm coated



**K-Q5M**

ESD PU glove

Color : Pink  
Size : S  
Type : Palm coated



**K-Q5S**

ESD stripe glove

Color : White  
Size : S.M.L



**K-Q6**

ESD dotted glove

Color : White  
Size : S.M.L



**K-Q7**

# SILICONE STICK

## ALUMINIUM SILICONE ROLLER

Material : Aluminium Handle  
 Size : 4 inch/6 inch/8 inch/10 inch/12 inch/  
 14 inch/16 inch/18 inch/20 inch..etc

**K-R1**



## ALUMINIUM SILICONE ROLLER

Material : Aluminium Handle  
 Size : 4 inch/6 inch/8 inch/10 inch/12 inch/  
 14 inch/16 inch/18 inch/20 inch..etc

**K-R2**



## PLASTIC SILICONE ROLLER

Material : Plastic Handle  
 Size : 4 inch/6 inch/8 inch/10 inch/12 inch/  
 14 inch/16 inch/18 inch/20 inch..etc

**K-R3**



## PLASTIC SILICONE ROLLER

Material : Plastic Handle  
 Size : 4 inch/6 inch/8 inch/10 inch/12 inch/  
 14 inch/16 inch/18 inch/20 inch..etc

**K-R4**



## CLEANROOM STICKY MAT

Size : -18"\*36"inch  
 -24"\*36"inch  
 -26"\*45"inch  
 Color : Blue  
 Package : -30layers/Piece  
 -10pcs per box



**K-R7**

# ESD TABLE MAT

## ESD RUBBER MAT

Size : 0.6m\*10m\*2mm;  
 1.0m\*10m\*2mm;  
 1.2m\*10m\*2mm;  
 Material : Rubber Mat  
 Color : Green/Blue/Grey/Black



K-S4

## ESD RUBBER MAT

Size : 0.6m\*10m\*3mm;  
 1.0m\*10m\*3mm;  
 1.2m\*10m\*3mm;  
 Material : Rubber Mat  
 Color : Green/Blue/Grey/Black



K-S5

## ANTISTATIC FATIGUE MAT


Color : Yellow+Black  
 Thickness : 20mm  
 Size : 450\*600\*20mm;  
 600\*900\*20mm  
 Mark : Other size can be customized



K-S8

## ESD TEXTURED RUBBER MAT


Color : Grey  
 Size : 1.2M\*10M\*2mm  
 Material : Rubber  
 Typer : Coating textured



K-S6

## BLACK FATIGUE MAT

Size : 480\*480mm;  
 600\*900mm;  
 930\*930mm;  
 900\*1500mm  
 Material : Plastic



K-S7

# ESD STATIONERY TOOLS



K-T01

ESD Ball Pen



K-T02

ESD Document Bag



K-T03

Antistatic Ring Binder



K-T08

Antistatic Document  
holder Tray



K-T05

Antistatic Document  
Basket



K-T06

Antistatic Scissors



K-T07

Antistatic Knife



K-T04

ESD Mouse




K-T09

Antistatic Keyboard



K-T11

Antistatic Tablet folder  
with clamp



KLZ  
I N N O V A T I O N

## KLZ INNOVATION

Add : 75 rue Ibnou Mounir n3°, Casablanca,  
Office tel : Morocco  
Mobile : 467 254 522 212+  
Email : 061 690 620 212+  
Klzinnovation@gmail.com  
Website : Contact@klzinnovation.ma  
www.klzinnovation.ma